## REFERENCE

1. **ACCP/AACVPR**. Pulmonary rehabilitation: joint ACCP/AACVPR evidence-based guidelines. ACCP/AACVPR Pulmonary Rehabilitation Guidelines Panel. American College of Chest Physicians. American Association of Cardiovascular and Pulmonary Rehabilitation. *Chest* 112: 1363-1396, 1997.

2. Beckerman M, Magadle R, Weiner M, and Weiner P. The effects of 1 year of specific inspiratory muscle training in patients with COPD. *Chest* 128: 3177-3182, 2005.

3. Brocklebank D, Ram F, Wright J, Barry P, Cates C, Davies L, Douglas G, Muers M, Smith D, and White J. Comparison of the effectiveness of inhaler devices in asthma and chronic obstructive airways disease: a systematic review of the literature. *Health Technol Assess* 5: 1-149, 2001.

4. **Caine MP and McConnell AK**. Development and evaluation of a pressure threshold inspiratory muscle trainer for use in the context of sports performance. *Journal of Sports Engineering* 3: 149-159, 2000.

5. **Caine MP and McConnell AK.** Pressure threshold inspiratory muscle training improves submaximal cycling performance. *Third Annual Conference of the European College of Sport Science*, edited by Sargeant AJ and Siddons H, Manchester, UK. The Centre for Health Care Development, 1998, p. 101.

6. **Caine MP and McConnell AK.** The inspiratory muscles can be trained differentially to increase strength or endurance using a pressure threshold, inspiratory muscle training device. *European Respiratory Journal* 12: 58-59, 1998.

7. **Copestake AJ and McConnell AK**. Inspiratory muscle training reduces exertional breathlessness in healthy elderly men and women. *Proceedings of the EGREPA International Conference on Physical Activity & Health in the Elderly*, 1995, p. 150.

8. **Dudgeon DJ, Lertzman M, and Askew GR**. Physiological changes and clinical correlations of dyspnea in cancer outpatients. *J Pain Symptom Manage* 21: 373-379, 2001.

9. Edwards AM and Cooke CB. Oxygen uptake kinetics and maximal aerobic power are unaffected by inspiratory muscle training in healthy subjects where time to exhaustion is extended. *Eur J Appl Physiol* 93: 139-144, 2004.

10. Enright S, Chatham K, Ionescu AA, Unnithan VB, and Shale DJ. Inspiratory muscle training improves lung function and exercise capacity in adults with cystic fibrosis. *Chest* 126: 405-411, 2004.

11. Heijdra YF, Dekhuijzen PN, van Herwaarden CL, and Folgering HT. Nocturnal saturation improves by target-flow inspiratory muscle training in patients with COPD. *Am J Respir Crit Care Med* 153: 260-265, 1996.

12. Hill K, Jenkins SC, Hillman DR, and Eastwood PR. Dyspnoea in COPD: can inspiratory muscle training help? *Aust J Physiother* 50: 169-180, 2004.

13. Holloway E and Ram FS. Breathing exercises for asthma. *Cochrane Database Syst Rev*: CD001277, 2004.

14. **Inzelberg R, Peleg N, Nisipeanu P, Magadle R, Carasso RL, and Weiner P**. Inspiratory muscle training and the perception of dyspnea in Parkinson's disease. *Can J Neurol Sci* 32: 213-217, 2005.

15. **Killian KJ and Jones NL**. Mechanisms of exertional dyspnea. *Clin Chest Med* 15: 247-257, 1994.

16. Klefbeck B, Lagerstrand L, and Mattsson E. Inspiratory muscle training in patients with prior polio who use part- time assisted ventilation. *Arch Phys Med Rehabil* 81: 1065-1071., 2000.

17. Koessler W, Wanke T, Winkler G, Nader A, Toifl K, Kurz H, and Zwick H. 2 Years' experience with inspiratory muscle training in patients with neuromuscular disorders. *Chest* 120: 765-769, 2001.

18. Laoutaris I, Dritsas A, Brown MD, Manginas A, Alivizatos PA, and Cokkinos DV. Inspiratory muscle training using an incremental endurance test alleviates dyspnea and

improves functional status in patients with chronic heart failure. *Eur J Cardiovasc Prev Rehabil* 11: 489-496, 2004.

19. Liaw MY, Lin MC, Cheng PT, Wong MK, and Tang FT. Resistive inspiratory muscle training: its effectiveness in patients with acute complete cervical cord injury. *Arch Phys Med Rehabil* 81: 752-756., 2000.

20. Lotters F, van Tol B, Kwakkel G, and Gosselink R. Effects of controlled inspiratory muscle training in patients with COPD: a meta-analysis. *European Respiratory Journal* 20: 570-577, 2002.

21. **Magadle R, Berar-Yanay N, and Weiner P**. The risk of hospitalization and near-fatal and fatal asthma in relation to the perception of dyspnea. *Chest* 121: 329-333, 2002.

22. **McConnell AK, Caine MP, Donovan KJ, Toogood AK, and Miller MR**. Inspiratory muscle training improves lung function and reduces exertional dyspnoea in mild/moderate asthmatics. *Clinical Science* 95: 4P, 1998.

23. **McConnell AK and Romer LM**. Dyspnoea in health and obstructive pulmonary disease : the role of respiratory muscle function and training. *Sports Med* 34: 117-132, 2004.

24. **McConnell AK and Romer LM**. Respiratory muscle training in healthy humans: resolving the controversy. *Int J Sports Med* 25: 284-293, 2004.

25. **McConnell AK, Romer LM, and Weiner P.** Inspiratory muscle training in obstructive lung disease; how to implement and what to expect. *Breathe* 2: 38-49, 2005.

26. **McConnell AK and Sharpe GR**. The effect of inspiratory muscle training upon maximum lactate steady-state and blood lactate concentration. *Eur J Appl Physiol* 94: 277-284, 2005.

27. Newall C, Stockley RA, and Hill SL. Exercise training and inspiratory muscle training in patients with bronchiectasis. *Thorax*, 2005.

28. **Oga T, Nishimura K, Tsukino M, Sato S, Hajiro T, Koyama H, and Mishima M.** Longitudinal changes in patient vs. physician-based outcome measures did not significantly correlate in asthma. *J Clin Epidemiol* 58: 532-539, 2005.

29. **Oh EG.** The effects of home-based pulmonary rehabilitation in patients with chronic lung disease. *Int J Nurs Stud* 40: 873-879, 2003.

30. **Ram FS**. Clinical efficacy of inhaler devices containing beta(2)-agonist bronchodilators in the treatment of asthma: cochrane systematic review and meta-analysis of more than 100 randomized, controlled trials. *Am J Respir Med* 2: 349-365, 2003.

31. **Ram FS and Ardern KD**. Dietary salt reduction or exclusion for allergic asthma. *Cochrane Database Syst Rev*: CD000436, 2004.

32. Ram FS, Rowe BH, and Kaur B. Vitamin C supplementation for asthma. *Cochrane Database Syst Rev*: CD000993, 2004.

33. **Ram FS, Wellington SR, and Barnes NC**. Inspiratory muscle training for asthma. *Cochrane Database Syst Rev*: CD003792, 2003.

34. Ramirez-Sarmiento A, Orozco-Levi M, Guell R, Barreiro E, Hernandez N, Mota S, Sangenis M, Broquetas JM, Casan P, and Gea J. Inspiratory muscle training in patients with chronic obstructive pulmonary disease: structural adaptation and physiologic outcomes. *Am J Respir Crit Care Med* 166: 1491-1497., 2002.

35. **Romer LM and McConnell AK.** Specificity and reversibility of inspiratory muscle training. *Med Sci Sports Exerc* 35: 237-244, 2003.

36. **Romer LM, McConnell AK, and Jones DA**. Effects of inspiratory muscle training on time-trial performance in trained cyclists. *J Sports Sci* 20: 547-562, 2002.

37. **Romer LM, McConnell AK, and Jones DA**. Effects of inspiratory muscle training upon recovery time during high intensity, repetitive sprint activity. *Int J Sports Med* 23: 353-360, 2002.

38. Romer LM, McConnell AK, and Jones DA. Inspiratory muscle fatigue in trained cyclists: effects of inspiratory muscle training. *Med Sci Sports Exerc* 34: 785-792, 2002.

39. Sanchez Riera H, Montemayor Rubio T, Ortega Ruiz F, Cejudo Ramos P, Del Castillo Otero D, Elias Hernandez T, and Castillo Gomez J. Inspiratory muscle training in patients with COPD: effect on dyspnea, exercise performance, and quality of life. *Chest* 120: 748-756., 2001.

40. Serra-Batlles J, Plaza V, Morejon E, Comella A, and Brugues J. Costs of asthma according to the degree of severity. *Eur Respir J* 12: 1322-1326, 1998.

 Sturdy G, Hillman D, Green D, Jenkins S, Cecins N, and Eastwood P. Feasibility of High-Intensity, Interval-Based Respiratory Muscle Training in COPD. *Chest* 123: 142-150., 2003.
Toelle BG and Ram FS. Written individualised management plans for asthma in children and adults. *Cochrane Database Syst Rev*: CD002171, 2004.

43. Volianitis S, McConnell AK, Koutedakis Y, McNaughton L, Backx K, and Jones DA. Inspiratory muscle training improves rowing performance. *Med Sci Sports Exerc* 33: 803-809., 2001.

44. Weiner P, Azgad Y, Ganam R, and Weiner M. Inspiratory muscle training in patients with bronchial asthma. *Chest* 102: 1357-1361., 1992.

45. Weiner P, Berar-Yanay N, Davidovich A, Magadle R, and Weiner M. Specific inspiratory muscle training in patients with mild asthma with high consumption of inhaled beta(2)-agonists. *Chest* 117: 722-727., 2000.

46. Weiner P, Magadle R, Beckerman M, and Berar-Yanay N. The relationship among inspiratory muscle strength, the perception of dyspnea and inhaled beta2-agonist use in patients with asthma. *Can Respir J* 9: 307-312, 2002.

47. Weiner P, Magadle R, Massarwa F, Beckerman M, and Berar-Yanay N. Influence of gender and inspiratory muscle training on the perception of dyspnea in patients with asthma. *Chest* 122: 197-201., 2002.

48. Weiner P and Weiner M. Inspiratory Muscle Training May Increase Peak Inspiratory Flow in Chronic Obstructive Pulmonary Disease. *Respiration*, 2005.

49. Westert GP, Lagoe RJ, Keskimaki I, Leyland A, and Murphy M. An international study of hospital readmissions and related utilization in Europe and the USA. *Health Policy* 61: 269-278, 2002.

50. Winkler G, Zifko U, Nader A, Frank W, Zwick H, Toifl K, and Wanke T. Dosedependent effects of inspiratory muscle training in neuromuscular disorders. *Muscle Nerve* 23: 1257-1260., 2000.